



FUOCO E PASSIONE

Klover Srl  
Via A. Volta, 8 - 37047 San Bonifacio (Verona) Italy  
Tel. +39 045 2235311 - Fax +39 045 2235399  
klover@klover.it

klover.it



Firepower

Distributed in the UK and Ireland by Firepower  
0844 332 0155

[www.firepower.co.uk](http://www.firepower.co.uk)  
[info@firepower.co.uk](mailto:info@firepower.co.uk)

PELLET • WOOD • PELLET/WOOD

**KLOVER**  
®  
FUOCO E PASSIONE



MADE IN ITALY



## QUALITY AND INNOVATION



**KLOVER  
IS EVERYWHERE  
IN ITALY AND  
THROUGHOUT  
THE WORLD**




## LEGEND



### PELLET CRUISE CONTROL

The revolutionary, patented combustion system that ensures significant fuel savings without having to lose power.




### G.A.S.

The innovative automatic cleaning system for the patented brazier that allows combustion with micro-gasification.



### CHROME PROTECTED

The entire pellet loading system is fully chrome treated to prevent any wear and deterioration due to damp fuel.



### GLASS FIBER CABLE

All cabling is covered in a fibreglass material that provides protection against wear and cutting and is highly temperature resistant.



### 6X FASTER

The quartz ignition device allows ignition that is up to 6 times faster than with a conventional system, and it also ensures greater resistance to wear and reduced electricity consumption.



### HERMETIC COMBUSTION

The hermetic seal not only makes for safer and more efficient combustion, but also allows appliances to be installed in houses with the most recent energy class and insulation ratings, thus optimising heating costs.




### WI-FI APP

MyKlover is the smart app that allows you to have full control over the appliance even when you are out of the house.



### TOUCH

The touch-screen remote control also allows you to control the appliance at various distances within the house.




### HERMETIC GLASS FLOW

The efficient, hermetic glass-cleaning system works with a strong flow of pre-heated air.



### SUPPORT CONTROL

The control interface fitted on the appliance ensures additional control even when you are without the touch-screen remote control.



### AUTOMATIC

The integrated timer enables you to set up to 4 daily on/off times and thus optimise operation throughout the day.



### HERMETIC BRAZIER

Thanks to the hermetically-sealed brazier and gasket, the concentrated, high-pressure flow of oxygen prevents the build-up of residual pellet deposits.



### K SONDE

The K temperature probe provides optimum real time control of the flame, shortening times required for ignition, switching off and re-ignition and thus also reducing electricity consumption.



### INNOVATIVE

The latest generation printed circuit board is designed to provide full product control, efficiency and safety.



### HIGH EFFICIENCY

The advanced electronic circulation pump reduces electricity consumption to a minimum.



### EMPTY ALARM

The pellet-level optical sensor tells you when the fuel level is running low.



### DISPLAY TOUCH

The new touch screen display means you have total control of the appliance at your finger-tips.



### REMOTE CONTROL

Option to install a remote control panel and hence control the appliance from another room.



### AUTOMATIC CLEAN

With the automatic Silent cleaning system, maintaining the heat exchanger tubes becomes easier and more effective over time.



### TOP EXIT

Predisposition for upper flue gas outlet.



### PELLET AIR STOVE



### PELLET RANGE COOKERS



### PELLET UTILITY BOILERS



### PELLET INSERT BOILER



DEA ECO 6/8/12	10	SMART 80 INOX	32	ECOMPACT 150-190	46
SOFT 80 GAS	12	SMART 80 MAIOLICA	32	ECOMPACT 250-290	46
SOFT 100 GAS	12	SMART 120 INOX	34	OPTIONAL	
WAVE 90 AIR GAS	14	SMART 120 MAIOLICA	34	VACUUM	49
WAVE 110 AIR GAS	16	SMART 80 BT	36		
WAVE 110 MULTI-AIR GAS	16	SMART 120 BT	38		



### PELLET IN-ROOM BOILER



### LOG RANGE COOKERS



### PELLET & LOG DUEL-FUEL BOILERS



BELVEDERE 18	18	VESTA INOX	40	DUAL	50
BELVEDERE 22	20	VESTA MAIOLICA	40	BI-FIRE MID	52
BELVEDERE 28	22	ALTEA 110	42		
DIVA SLIM	24	ALTEA GLASS	45		
DIVA SLIM WOOD	26				
THERMOAURA GAS	28				
STYLE 140 GAS	30				
STYLE 180-220 GAS	30				




Klover pellet boiler stoves are MCS accredited and thus eligible for grants of up to £11,900 under the government's Renewable Heat Incentive Scheme. Your Klover installer will be able to calculate exactly what level of grant you will be entitled to.



The automatic combustion system that thinks about you and the environment.

The innovative automatic cleaning system for the patented brazier that allows combustion with micro-gasification.





The stove with automatic pilot.

The revolutionary, patented combustion system that ensures significant fuel savings without having to lose power.





Long-lasting life and efficiency.

The entire pellet loading system is fully chrome treated to prevent any wear and deterioration due to damp fuel.




High resistance to wear and temperature.

All cabling is covered in a fibreglass material that provides protection against wear and cutting and is highly temperature resistant.



Healthy, secure and clean environment.

The hermetic seal not only makes for safer and more efficient combustion, but also allows appliances to be installed in houses with the most recent energy class and insulation ratings, thus optimising heating costs.



The Klover stove turns smart.

MyKlover is the smart app that allows you to have full control over the appliance even when you are out of the house.





The AIR technology includes pellet stoves and heating stoves with forced ventilation, suited to all furnishing requirements, from classic to modern and designed to give character and refinement to any room you decide to install them in.



Thanks to the innovative MULTI-AIR system, models belonging to this range provide high performance ducting of up to 9 metres to rooms away from the one where the stove is installed, even without insulation. You can reach up to 3 rooms at the same time managing each one separately via a room thermostat. Perfect for every style of furniture, from ultra classic to ultra modern, they can reflect your own unique, personal taste.



The SOFT line offers silent stoves with forced ventilation that can be switched off, which distributes hot air by means of thermal radiation for a completely natural relaxation. Heat is transmitted into the room via sinusoidal convection, that is through curved heat exchange surfaces that retain the air flow for longer to confer additional heat even at lower power levels, thereby ensuring maximum savings and total comfort.



The wide, well-developed THERMO range includes all categories and both types of fuels: pellets and wood. The KLOVER heating system appliances - heating stoves, heating fireplaces and boilers - feature unparalleled performance levels for this kind of appliance accompanied by technical advantages such as Sicuro Top, the dual centrifugal fan system that does not remove heat from the heating system, the double ceramic glass that protects your children against possible burns and outstanding mechanical durability that sets them apart from marketplace competitors.



A+

cm 40x52x86 h • 67 kg - DEA ECO 6  
 cm 41x55x95 h • 90 kg - DEA ECO 8  
 cm 48x60x105 h • 115 kg - DEA ECO 12

DEA ECO 6  
  
 5,6 kW

η  
89,2 %

DEA ECO 8  
  
 6,8 kW

η  
90 %

DEA ECO 12  
  
 9,6 kW

η  
85,3 %

PELLET

AIR

CHROME PROTECTED

Glass Fiber Cable

AUTOMATIC

HERMETIC BRAZIER

## DEA ECO 6

3,8-5,6 kW • 140 m<sup>3</sup>

## DEA ECO 8

3,8-6,8 kW • 170 m<sup>3</sup>

## DEA ECO 12

4,5-9,6 kW • 240 m<sup>3</sup>

- Simple display with three keys
- Cast iron brazier
- Silk-screened ceramic glass



SIDE CLEANING SCRAPERS



SAFETY SENSOR ON THE DOOR



Avorio



Rosso



Matt Black

PELLET AIR STOVE

ECODESIGN  
2022



A++

cm 48x52x105 h • 128 kg - SOFT 80  
cm 48x52x110 h • 140 kg - SOFT 100

PELLET AIR STOVE


ECODESIGN  
2022

## SOFT 80 GAS


2,6-7,4 kW • 185 m<sup>3</sup>

## SOFT 100 GAS

2,6-9,6 kW • 240 m<sup>3</sup>



η  
92,5 %



η  
92,5 %



PELLET

TOP EXIT

TOP EXIT

TOP EXIT

TOP EXIT


TOP EXIT



SOFT



AIR




PELLET

CRUISE CONTROL




G.A.S.



CHROME

PROTECTED



GLASS

FIBER CABLE



6X

FASTER



HERMETIC

COMBUSTION




WIFI



TOUCH

TOUCH



K

SONDE



HERMETIC

GLASS FLOW



INNOVATIVE

INNOVATIVE




SUPPORT

CONTROL



AUTOMATIC



Perla

Bronze

Matt Black

Grey



TOP IN CAST IRON WITH INTEGRATED TOP OUTLET

CAST IRON DOOR WITH INTEGRATED SLOT  
FOR BUILT-IN FRONT VENTILATION



A++

cm 68x60x72 h. 170 kg

PELLET AIR STOVE

## WAVE 90 GAS

AIR • 2,9-8,6 kW • 210 m<sup>3</sup>

**ECODESIGN**  
 2022


8,6 kW  
95,2 %






PELLET

TOP  
EXIT

AIR

PELLET  
CRUISE CONTROL



G.A.S.

CHROME  
PROTECTEDGLASS  
FIBER CABLE6X  
FASTERHERMETIC  
COMBUSTION

WIFI



TOUCH

HERMETIC  
GLASS FLOWSUPPORT  
CONTROL

AUTOMATIC

HERMETIC  
BRAZIERK  
SONDE

INNOVATIVE

EMPTY  
ALARM

WiFi



Perla



Bronze



Matt Black



Dark oak



Oak



Light Oak



A++

cm 68x60x72 h • 170 kg - WAVE 110 AIR  
cm 68x60x72 h • 170 kg - WAVE 110 MULTI-AIR

PELLET AIR STOVE

ECODESIGN  
2022

## WAVE 110 GAS

AIR • 2,9-10,1 kW • 270 m<sup>3</sup>

## WAVE 110 GAS

MULTI-AIR • 2,9-10,1 kW • 270 m<sup>3</sup>



10,1 kW



94,3 %



PELLET



TOP EXIT



MULTI-AIR

2 EXIT



AIR



PELLET CRUISE CONTROL



G.A.S.



CHROME PROTECTED



GLASS FIBER CABLE



6X FASTER



HERMETIC COMBUSTION



WIFI



TOUCH



HERMETIC GLASS FLOW



SUPPORT CONTROL



AUTOMATIC



HERMETIC BRAZIER



INNOVATIVE



SONDE



EMPTY ALARM



Perla



Bronze



Matt Black



Dark oak



Oak



Light Oak



A+

cm 56x57x105 h • 175 kg

PELLET IN-ROOM BOILER

## BELVEDERE 18

4,9-18,4 kW • 455 m<sup>3</sup>ECODESIGN  
2022

	13,9 kW
	4,5 kW
	88,2 %


- Fire door with double ceramic glazing
- All plumbing components as standard supply
- Side cleaning scrapers
- Covering in painted steel and majolica at the top
- Safety seal in stainless steel
- "Cold" door handle



CAST IRON BRAZIER



AIR-FORCED HEATING SYSTEM



Avorio



Sabbia



Terra di Siena



Bordeaux



Silver



Matt Black



A+

cm 60x62x118 h • 220 kg - BELVEDERE 22

PELLET IN-ROOM BOILER

## BELVEDERE 22

6,9-20 kW • 495 m<sup>3</sup>ECODESIGN  
2022

	17,1 kW
	2,9 kW
	89,4 %


- All plumbing components as standard supply
- Side cleaning scrapers
- Covering in painted steel and majolica at the top
- Safety seal in stainless steel
- “Cold” door handle
- Cast iron brazier



FIRE DOOR WITH DOUBLE GLAZED GLASS



Avorio



Sabbia



Terra di Siena



Bordeaux



Silver



Matt Black



A++

cm 66x65x131 h • 280 kg

PELLET IN-ROOM BOILER

# BELVEDERE 28

6,9-23,7 kW • 600 m<sup>3</sup>
**ECODESIGN**  
 2022

	<b>20,3</b> kW
	<b>3,4</b> kW
	<b>94,8</b> %


- Fire door with double ceramic glazing
- Side cleaning scrapers
- Covering in painted steel and majolica at the top
- Safety seal in stainless steel
- “Cold” door handle
- Cast iron brazier

SUPPLIED WITH HYDRAULIC COMPONENTS  
ALREADY ASSEMBLED

ELECTRONIC CONTROL UNIT




Avorio



Sabbia



Terra di Siena



Bordeaux



Silver



Matt Black



A++



cm 90x34x113 h • 220 kg

PELLET IN-ROOM BOILER

## DIVA SLIM

4,3-18,4 kW • 450 m<sup>3</sup>

**13,8 kW**  
**4,6 kW**  
**93,1 %**



- Front panel in white stone and glass
- Connection for top and side outlet
- Safety sensors on door and hopper
- Air-tight pellet tank
- Self-cleaning flues
- Total front inspection



CREAM STONE



MATT SERPENTINO



Cream Stone

Matt Serpentino

ECODESIGN  
2022



A++





cm 90x34x113 h • 195 kg

PELLET IN-ROOM BOILER

## DIVA SLIM WOOD

4,3-18,4 kW • 450 m<sup>3</sup>ECODESIGN  
2022

	13,8 kW
	4,6 kW
	93,1 %



- Front panel in solid wood and glass
- Connection for top and side outlet
- Safety sensors on door and hopper
- Air-tight pellet tank
- Self-cleaning flues
- Total front inspection



DARK OAK



Dark oak



Oak



Light Oak



A+

cm 48x52x111 h • 135 kg

PELLET IN-ROOM BOILER

## THERMOAURA GAS

4-14 kW • 345 m<sup>3</sup>

ECODESIGN  
2022

- Front panel and top in cast iron
- Tank cover with opening for plumbing
- Self-cleaning burner
- Safety sensors on door and hopper

11 kW	
3 kW	
92 %	

	PELLET
	THERMO
	AIR

	G.A.S
	CHROME PROTECTED
	GLASS FIBER CABLE

	6x FASTER
	HERMETIC COMBUSTION
	HERMETIC GLASS FLOW

	AUTOMATIC
	HERMETIC BRAZIER
	K SONDE
	INNOVATIVE
	HIGH EFFICIENCY

	DISPLAY TOUCH
	AUTOMATIC CLEAN



TOP IN CAST IRON



TANK COVER WITH OPENING FOR PLUMBING



Perla

Bronze

Matt Black

Grey



STYLE 140 GAS	A+
H <sub>2</sub> O	
14 kW	
3,0 kW	
η	
91 %	

STYLE 180 GAS
H <sub>2</sub> O
17,8 kW
3,2 kW
η
91 %

STYLE 220 GAS
H <sub>2</sub> O
20,8 kW
4,7 kW
η
91 %

A+

cm 47x62x111,5 h • 150 kg - STYLE 140 GAS  
 cm 56,7x69x115 h • 175 kg - STYLE 180 GAS  
 cm 57x69x118,5 h • 185 kg - STYLE 220 GAS

PELLET IN-ROOM BOILER

ECODESIGN  
2022

## STYLE 140 GAS

5-17 kW • 420 m<sup>3</sup>


## STYLE 180 GAS

6,5-21 kW • 500 m<sup>3</sup>

## STYLE 220 GAS

6,5-25,5 kW • 635 m<sup>3</sup>


- Curved door with double-glazing
- Front panel and top in cast iron
- Self-cleaning burner
- Safety sensors on door and hopper
- Self-cleaning flues



Avorio



Bronze



Bordeaux



Matt Black



A+

cm 79x60x87,5 h • 235 kg - INOX  
cm 79x60x87,5 h • 255 kg - MAIOLICA

PELLET RANGE COOKERS

## SMART 80 INOX SMART 80 MAIOLICA

6,8-22,6 kW • 555 m<sup>3</sup>ECODESIGN  
2022

	19,1 kW
	3,5 kW
	88,1 %


- All plumbing component as standard supply
- Top or rear flue gas outlet according to choice
- Optional hob cover



CAST-IRON HOTPLATE





A+

cm 120x60x87,5 h • 290 kg - INOX  
cm 120x60x87,5 h • 330 kg - MAIOLICA

PELLET RANGE COOKERS

SMART 120 INOX

SMART 120 MAIOLICA

6,8-22,6 kW • 555 m<sup>3</sup>ECODESIGN  
2022

- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper
- **Cooking oven LxHxD: 280x370x390 mm**

	19,1 kW
	3,5 kW
	88,1 %




CAST-IRON HOTPLATE



STAINLESS STEEL SEALED OVEN





A+

cm 79x60x87,5 h • 235 kg

PELLET RANGE COOKERS

## SMART 80 BT

6,8-22,6 kW • 555 m<sup>3</sup>ECODESIGN  
2022

	19,1 kW
	3,5 kW
	88,1 %


- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper



CAST-IRON HOTPLATE



OPTIONAL HOB COVER



Crema



Rosso



Matt Black



A+

cm 120x60x87,5 h • 290 kg

PELLET RANGE COOKERS

## SMART 120 BT

6,8-22,6 kW • 555 m<sup>3</sup>ECODESIGN  
2022

	<b>19,1</b>	<b>kW</b>
	<b>3,5</b>	<b>kW</b>
	<b>88,1</b>	<b>%</b>


- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper
- **Cooking oven LxHxD: 280x370x390 mm**



OPTIONAL HOB COVERS



CAST-IRON HOTPLATE



Crema



Rosso



Matt Black



A+


cm 94x60x87,5 h • 220 kg - INOX  
cm 94x60x87,5 h • 230 kg - MAIOLICA

LOG RANGE COOKERS

## VESTA INOX VESTA MAIOLICA

13,8 kW • 340 m<sup>3</sup>

- Large hotplate in enamelled cast iron
- Combustion air regulation with thermostatic valve
- Wood drawer
- **Combustion chamber LxHxD: 250x460x340 mm**
- **Cooking oven LxHxD: 380x310x370 mm**



FIREBRICK LINED FIREBOX



STAINLESS STEEL COOKING OVEN





A+

cm 110x60x87,5 h • 350 kg

LOG RANGE COOKERS


ECODESIGN  
2022

## ALTEA 110

EN 13240 14,7 kW • 365 m<sup>3</sup>MAX 29,3 kW • 720 m<sup>3</sup>


7,8 kW

EN 13240




6,9 kW

EN 13240



89,4 %

EN 13240




22,1 kW

MAX



7,2 kW

MAX



87,7 %



MAX




WOOD



THERMO

SICURO  
TOP  
INSIDEGLASS  
FIBER CABLE

INNOVATIVE

HIGH  
EFFICIENCYDISPLAY  
TOUCHDOUBLE  
GLASS

- SICURO TOP safety system
- Fire door and oven with double ceramic glazing
- "Cold" door handle
- Combustion air regulation with thermostatic valve
- Safety seal in stainless steel
- **Combustion chamber LxHxD: 260x422x422 mm**
- **Cooking oven LxHxD: 350x290x420 mm**

Maximum power obtainable with full load.



RADIANT CAST IRON



ILLUMINATED OVEN IN STAINLESS STEEL



Avorio




Sabbia




Terra di Siena




Bordeaux



Maya Ocre



Gold




Silver



Nero Lucido



Rosso Madrid



Blu Cielo




Forum Beige



Saxum



Grey Stone



Brown Stone



Canapa



A+

cm 110x60x87,5 h • 320 kg

LOG RANGE COOKERS

ECODESIGN  
2022

## ALTEA GLASS

14,7 kW • 365 m<sup>3</sup>MAX 29,3 kW • 720 m<sup>3</sup>

7,8 kW

EN 13240



6,9 kW

EN 13240



89,4 %

EN 13240



22,1 kW

MAX



7,2 kW

MAX



87,7 %

MAX



WOOD



THERMO



SICURO

TOP

INSIDE

INSIDE



GLASS

FIBER CABLE



INNOVATIVE



HIGH

EFFICIENCY



DISPLAY

TOUCH



DOUBLE

GLASS



SICURO TOP SAFETY SYSTEM



FIRE DOOR WITH DOUBLE GLAZED GLASS

ECOMPACT 150	ECOMPACT 190
14,6 kW	18,2 kW

92,6 %	92,3 %

ECOMPACT 150 - 190

42 lt	7 mt

ECOMPACT 250	ECOMPACT 290
23,4 kW	27,4 kW

92,8 %	92,6 %

ECOMPACT 270

25,4 kW	29,4 kW

92,7 %	92,5 %

ECOMPACT 250 - 290 - 270 - 320

55 lt	7 mt

--	--

--	--

--	--

--	--

--	--

--	--

--	--

--	--	--

cm 112x50x115 h • 320 kg - ECOMPACT 150 • ECOMPACT 190  
cm 118x57x122 h • 380 kg - ECOMPACT 250 • ECOMPACT 290

PELLET UTILITY BOILERS

## ECOMPACT 150

4,2-14,6 kW • 360 m<sup>3</sup>

A++

## ECOMPACT 190

4,2-18,2 kW • 450 m<sup>3</sup>

A++

## ECOMPACT 250

6,0-23,4 kW • 580 m<sup>3</sup>

A+

## ECOMPACT 290

6,0-27,4 kW • 670 m<sup>3</sup>

A+

ECODESIGN  
2022

ECOMPACT 150



ECOMPACT 250



ECOMPACT 190



ECOMPACT 290



Integration with all other existing conventional heating systems, including underfloor and solar heating systems.





IP 20

CE

⊕ CLASS I

# PELLET VACUUM SYSTEM

Vacuum operated system with control panel and integrated pellet dispensing unit.

Stands out for its versatility and ease of installation on all new and existing boilers. It is a compact vacuum operated unit with integrated pellet dispenser, designed to keep the pellet tank of biomass fired boilers full at all times. Minimum footprint, easy hookup between dispenser and vacuum system.

Quality, power and reliability.

OPTIONAL



## PELLET STORAGE



HOPPER



SLIDING HOPPER COVER



VACUUM UNIT WITH MOTORISED PORT

IP 40



h 600 mm - kg 380 - lt 540  
VERTICAL HOPPER EXTENSIONS  
TO INCREASE HOPPER CAPACITY

max 2  
pieces



Ø 50 mm - L 20 m  
TRANSPARENT ANTI-STATIC HOSE



380 x 570 mm  
TRAPDUST FILTERING SYSTEM



5 pz.  
SPARE BAGS FOR TRAPDUST FILTER

A++  
PELLETA+  
LEGNA

cm 87x63x110 h. 330 kg

PELLET &amp; LOG DUEL-FUEL BOILERS

ECODESIGN  
2022

## DUAL

PELLET 4,7-16,1 kW - WOOD 11,3 kW

PELLET+WOOD 27,4 kW • 680 m<sup>3</sup>

- All plumbing components as standard supply
- Covering in painted steel and majolica at the top
- Wood combustion air regulation with thermostatic valve
- Safety seal in stainless steel
- "Cold" door handle

H<sub>2</sub>O  
11,2 kW  
PELLET

H<sub>2</sub>O  
6,5 kW  
WOOD

4,8 kW  
PELLET

93 %  
PELLET

91,9 %  
WOOD

WOOD

PELLET

THERMO

SICURO  
TOP  
INSIDE

CHROME  
PROTECTED

GLASS  
FIBER CABLE

6X  
FASTER

AUTOMATIC

HERMETIC  
BRAZIER

INNOVATIVE

HIGH  
EFFICIENCY

DISPLAY  
TOUCH


DOUBLE  
GLASS



Maximum power obtainable with full load.



FIRE DOOR WITH DOUBLE GLAZED GLASS



SICURO TOP SAFETY SYSTEM



Avorio  
Sabbia

Terra di Siena  
Bordeaux

Silver

Matt Black

A++  
PELLETA+  
LEGNA

cm 82x60x108 h • 340 kg

PELLET &amp; LOG DUEL-FUEL BOILERS

ECODESIGN  
2022

## BI-FIRE MID

PELLET 4,7-16,1 kW - WOOD 11,3 kW

PELLET+WOOD 27,4 kW • 680 m<sup>3</sup>

H<sub>2</sub>O  
11,2 kW  
PELLET

H<sub>2</sub>O  
6,5 kW  
WOOD

4,8 kW  
PELLET

93 %  
PELLET

91,9 %  
WOOD

WOOD

PELLET

THERMO

SICURO  
TOP  
INSIDE

CHROME  
PROTECTEDGLASS  
FIBER CABLE

AUTOMATIC

HERMETIC  
BRAZIER

INNOVATIVE

HIGH  
EFFICIENCYDISPLAY  
TOUCH

Maximum power obtainable with full load.



TWO SEPARATE COMBUSTION CHAMBERS



A SINGLE FLUE GAS OUTLET



Avorio



Sabbia



Terra di Siena



Bordeaux



Silver



Matt Black



A++

cm 76,5x68x69,5 h • 180 kg - PFP18  
cm 86,5x77x87 h • 250 kg - PFP 22

PELLET INSERT BOILER

## PFP 18

4,4-15,8 kW • 390 m<sup>3</sup>

## PFP 22

6,7-24 kW • 590 m<sup>3</sup>ECODESIGN  
2022

PFP18  
H<sub>2</sub>O  
12,3 kW

3,5 kW

η  
93,6 %

PFP22  
H<sub>2</sub>O  
18,6 kW

5,4 kW

η  
94,4 %

PELLET

THERMO

CHROME  
PROTECTED

GGLASS  
FIBER CABLE

6X  
FASTER

AUTOMATIC

HERMETIC  
BRAZIER

EMPTY  
ALARM

INNOVATIVE

HIGH  
EFFICIENCY

- Easy pellet loading with handy top drawer
- Removable machine for cleaning and maintenance
- Cast iron brazier
- All plumbing components as standard supply
- Easy-to-clean flue gas pass